

Message

---

**From:** Cheatham, Reggie [cheatham.reggie@epa.gov]  
**Sent:** 4/9/2019 2:16:47 PM  
**To:** Gray, David [gray.david@epa.gov]  
**CC:** Edlund, Carl [Edlund.Carl@epa.gov]; Clark, Becki [Clark.Beki@epa.gov]  
**Subject:** Re: Heads Up

Got it. Thanks David

Reggie Cheatham, Director  
Office of Emergency Management, USEPA  
202/564-8003(o)/202/689-9400  
Doris Williams, Executive Assistant  
202/564-0053

On Apr 9, 2019, at 9:53 AM, Gray, David <gray.david@epa.gov> wrote:

Reggie and Becki,

Heads up. ITC has requested permission to treat water collected in one of their storage tanks at their onsite treatment plant. TCEQ is getting onboard. The state wants IC to approve as one option with some treatment, testing and monitoring requirements. I have some concerns especially because I predict this will be the first of many asks from ITC to treat recovered water onsite.

I need guidance on any of your concerns and available to discuss by phone.

David  
214.789.2619 cell

Sent from my iPhone

On Apr 4, 2019, at 12:36 PM, Cheatham, Reggie <cheatham.reggie@epa.gov> wrote:

Ok

Looping in Becki who has visibility on some stuff with OW.

Thanks

Reggie Cheatham, Director  
Office of Emergency Management, USEPA  
202.564.8003 (O); 202.689.9400 (M);  
[cheatham.reggie@epa.gov](mailto:cheatham.reggie@epa.gov)  
Doris Williams, Executive Assistant  
202.564.0053

---

**From:** Gray, David  
**Sent:** Thursday, April 04, 2019 12:35 PM  
**To:** Cheatham, Reggie <cheatham.reggie@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>  
**Subject:** RE: Heads Up

I will make sure OPA and OCIR are onboard before I go. Same with awareness of preliminary data release on website.

---

**From:** Cheatham, Reggie  
**Sent:** Thursday, April 4, 2019 11:32 AM  
**To:** Gray, David <[gray.david@epa.gov](mailto:gray.david@epa.gov)>; Edlund, Carl <[edlund.carl@epa.gov](mailto:edlund.carl@epa.gov)>  
**Subject:** RE: Heads Up

All good....do you have good eyes on it to support consistency in the Agency's message. If not let me know.

Thanks

Reggie Cheatham, Director  
Office of Emergency Management, USEPA  
202.564.8003 (O); 202.689.9400 (M);  
[cheatham.reggie@epa.gov](mailto:cheatham.reggie@epa.gov)  
Doris Williams, Executive Assistant  
202.564.0053

---

**From:** Gray, David  
**Sent:** Thursday, April 04, 2019 12:22 PM  
**To:** Cheatham, Reggie <[cheatham.reggie@epa.gov](mailto:cheatham.reggie@epa.gov)>; Edlund, Carl <[Edlund.Carl@epa.gov](mailto:Edlund.Carl@epa.gov)>  
**Subject:** Heads Up

Reggie – heads up. I am working on a statement regarding PFAS sample results associated with ITC for my hearing tomorrow. I am also planning to have preliminary PFAS posted on our public website as early as today. Please let me know if we need to discuss further.

David